



ISIRI

7965

1 St- Edition

Islamic Republic of Iran

**Institute of Standards and Industrial Research of
Iran**

**Specification and criteria for thermal & electrical
energy consumption and energy grades for process of
factory produced building bricks**

()

()

()

()

()

()

()

()

()

()

()

()

()

()

()

()

۱

۲

"

"

()

//

.

.

.

()

()

:

:()

:()

:()

:()

:()

()

/

(SEC)

kwh/ton(Brick)

GJ/Ton (Brick)

(SEC_e)

(SEC_e)

"E_e"

(SEC_t)

()

()

"E_t"

¹-Specific Energy consumption

:

-I

-II

III

"E_e"

"E_t"

E_t'

()

1

()	()	
$V_t \leq 90$ $90 < V_t \leq 95$ $95 < V_t \leq 100$	$E_t \leq 3/6$ $3/6 < E_t \leq 3/8$ $1 < E_t \leq 4$	

/

V_t

()	()	
$V_t \leq 119$ $119 < V_t \leq 126$ $126 < V_t \leq 133$	$E_t \leq 1$ $1 < E_t \leq 4/75$ $4/75 < E_t \leq 5$	

1

1

1

"E_e"

()

()	
$E_e \leq 43$ $< E_e \leq 46$ $< E_e \leq 48$	

() /

/

"E_e"

"E_t"

:

:

()	()	
$E_e \leq 45$	$E_t \leq 1$	

(/)

()

"E_e" "E_t"

/ /

()

)

(

"E_t"

)

(

)

(

$E_{\bar{r}}$

|

E_t

E_t

E_e

)

(

)

(

$E_{\bar{e}}$

|

E_e

E_e

"E_t"

:

()	()	
$V_t \leq 70$	$V_t \leq 35$	

()